

Amendments to the Claims

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

Claim 1 (Currently Amended): A clock control circuit carrying out control of a clock signal supplied to a central processing unit, the clock control circuit comprising:

a high-speed clock source whose oscillation operation is controlled by an operation control signal, and which generates a high-speed clock used in a usual operation mode;

a low-speed clock source generating a low-speed clock whose frequency is lower than a frequency of the high-speed clock;

a selector selecting one of the high-speed clock and the low-speed clock in accordance with a selection signal, and outputting the selected one of the high-speed clock and the low-speed clock to the central processing unit;

a first control section which, when a standby mode is designated by a mode signal~~[[,]]~~ that outputs the operation control signal for stopping the high-speed clock source responsive to a standby mode designated by a mode signal, and which, when an interrupt signal is supplied~~[[,]]~~ that outputs the operation control signal for operating the high-speed clock source responsive to an interrupt signal, and that sets initial states of the central processing unit and causes the high-speed clock to be generated by the

high-speed clock source a set time after a power source has been turned on,
responsive to a reset signal; and

a second control section which, when the standby mode is designated by the mode signal, outputs the selection signal for causing the low-speed clock to be selected, and which, when the interrupt signal is supplied, starts counting of the low-speed clock, and when a count value reaches a value set in a register, the second control section outputs the selection signal for causing the high-speed clock to be selected.

Claim 2 (Original): The clock control circuit of claim 1, further comprising an interrupt signal control section which selects an arbitrary one of or plurality of signals from a plurality of interrupt cause signals, and when a cause for interruption arises at any of the selected signals, the interrupt signal control section outputs the interrupt signal.

Claim 3 (Currently Amended): The clock control circuit of claim 1, wherein the first control section includes an OR gate to which [[a]] the reset signal and the interrupt signal are input, and a flip-flop which is connected to an output side of the OR gate.

Claim 4 (Currently Amended): The clock control circuit of claim 1, wherein the second control section includes an OR gate to which [[a]] the reset signal and the selection signal are input, a flip-flop which is connected to an output side of the OR gate, an AND

gate which is connected to an output side of the flip-flop, and a counter which is connected to an output side of the AND gate,

the low-speed clock is input from the low-speed clock source to the AND gate, and the counter carries out the counting of the low-speed clock.

Claim 5 (Original): The clock control circuit of claim 1, wherein, in order to switch between clocks of two systems, the selector includes a two-input OR gate, a two-input AND gate, a flip-flop having a reset input, a low-through latch, and an inverter.

Claim 6 (Original): The clock control circuit of claim 1, wherein the high-speed clock source includes an oscillator, and a multiplier which multiplies by a predetermined number the high-speed clock outputted from the oscillator.

Claim 7 (Original): The clock control circuit of claim 1, wherein the high-speed clock source includes an oscillator, and a frequency divider which processes the high-speed clock outputted from the oscillator.

Claim 8 (Canceled)

Claim 9 (Original): The clock control circuit of claim 2, wherein the high-speed clock source is structured so as to be able to select and output one high-speed clock from

among a plurality of frequencies.

Claim 10 (Previously Presented): The clock control circuit of claim 4, further comprising a comparator which is connected to an output side of the counter, and a register for setting a value corresponding to a stable time at a time of activation of the high-speed clock source in accordance with a control signal from the central processing unit, wherein the register supplies an output signal to the comparator.

Claim 11 (Previously Presented): The clock control circuit of claim 5, wherein the flip-flop has input thereto an input signal, a clock input, an asynchronous reset signal, and provides an output signal, and

the low-through latch has input thereto another input signal, a gate control signal, and provides a gate output, and

when the asynchronous reset signal at the reset input is a first signal, the gate output is reset in accordance with the first signal, and the gate output sets the another input signal synchronously with a fall of the clock input.

Claim 12 (Previously Presented): The clock control circuit of claim 1, wherein the high-speed clock source can generate the high-speed clock, so as to select one frequency from among two or three or more frequencies.

Claim 13 (Currently Amended): The clock control circuit of claim 10, further comprising:

a second OR gate which is connected to an output side of the comparator,
wherein [[a]] the reset signal is inputted to another input side of the second OR gate;
and

an output side of the second OR gate is connected to a set terminal of the
second flip-flop.

Claim 14 (Canceled)